Traction Drive Unit for Lift and Transport Trucks FAT-HTW-24

Control unit traction drive unit

The FAT-HTW-24 traction drive unit can be installed at any lift and transport truck from our HTW 50/xxx and HTW 51/xxx range. The powerful drive motor is fitted with twin tires and can easily be moved back and forth. The traction drive was particularly designed to facilitate pulling away safely and comfortably on slopes and long routes of transport. The speed can be controlled via the hand wheel at the right side of the control unit. The traction drive is equipped with a soft start function as well as a safety lock with automatic STOPP function to prevent injuries of the user when driving backwards.

Scope of delivery includes 24 Volt battery and automatic 230 / 24 Volt charger.

Technical details see back page

KUGEL medical GmbH & Co. KG
Hermann-Köhl-Str. 2A
DE - 93049 Regensburg/Germany

Phone +49/941/20 86 48-0
Fax +49/941/20 86 48-29
www.KUGEL-medical.de

zertifiziert nach ISO 9001

KUGEL medical

Subject to technical modifications as required by products improvements (Version 02/2017)

Traction Drive Unit for Lift and Transport Trucks FAT-HTW-24



Powerful drive motor with twin tires

Hand wheel for speed control

TekEquipment™
Ph: 1300 368 138
www.tekequipment.com.au
info@tekequipment.com.au

Technical Data

Voltage:	24 Volt
Diameter wheels:	200 mm
Reach:	max. 15 km
Speed:	max. 6 km/h
Type:	FAT-HTW-24
Article No.	050.055.200

TekMed NZ™
Ph: 0800 456 217
info@tekmed.co.nz
www.tekmed.co.nz

KUGEL medical GmbH & Co. KG
Hermann-Köhl-Str. 2A
DE - 93049 Regensburg/Germany

Phone +49/941/20 86 48-0
Fax +49/941/20 86 48-29
www.KUGEL-medical.de

zertifiziert nach ISO 9001

KUGEL medical

Concealment Frame for Lift and Transport Trucks CF-FO-UP-2100

Lift and transport truck with concealment

Lift and transport truck with folded down concealment frame

Lift and transport truck with folded up concealment frame

Foldable concealment for all lift and transport truck for fixed attachment. The concealment frame has a sturdy frame structure made of stainless steel and can be easily folded up and down without having to be removed from the truck. A PVC cover grey color is lying loosely on top of the frame.

Technical Data:

Dimensions W/D/H:	720 x 2110 x 400 mm
Type:	CF-FO-UP-2100
Article No:	050.015.030

TekEquipment™

Ph: 1300 368 138

www.tekequipment.com.au

info@tekequipment.com.au

TekMed NZ™

Ph: 0800 456 217

info@tekmed.co.nz

www.tekmed.co.nz

KUGEL medical GmbH & Co. KG
Hermann-Köhl-Str. 2A
DE - 93049 Regensburg/Germany

Phone +49/941/20 86 48-0
Fax +49/941/20 86 48-29
www.KUGEL-medical.de

zertifiziert nach ISO 9001

KUGEL medical

Subject to technical modifications as required by products improvements (Version 01/2015)

Drive Roller for Lift and Transport Trucks MTR-RB-24V-OFAT



Lift and transport truck with drive roller MTR-RB 24V and traction drive FAT-HTW-24

Control unit with forwards/backwards buttons

An additional electrical drive roller can be installed at the roller track of any lift and transport truck from our HTW 50/xxx and HTW 51/xxx range to automatically put a body tray off the truck onto the shelf. The drive roller is operated through forwards/backwards buttons at the control unit. The power supply is provided by means of the built-in battery.

Technical Data:

Voltage:	24 Volt
Carrying capacity:	max. 250 kg
Type:	MTR-RB 24V-OFAT
Article No.	059.900.075

TekEquipment™

Ph: 1300 368 138

www.tekequipment.com.au

info@tekequipment.com.au

KUGEL medical GmbH & Co. KG
Hermann-Köhl-Str. 2A
DE - 93049 Regensburg/Germany

Phone +49/941/20 86 48-0
Fax +49/941/20 86 48-29
www.KUGEL-medical.de

zertifiziert nach ISO 9001

KUGEL medical