# Autopsy Table STV 10/100 with Down-Draft-System – Height-Adjustable and Rotatable



The autopsy table is mounted on a center support column and can be rotated to the right and the left by approx. 180°; moreover, it is height-adjustable in the range from 750 to 1000 mm. The autopsy table is completely made of stainless steel (material no. 1.4301- ANSI 304). A 3-piece removable, perforated work surface makes sure that all harmful vapours are being vacuumed downwards. A seamlessly welded basin, 400 x 500 x 200 mm, with a surrounding profile border is installed to the end of the table. The table top is equipped with a waterproof sound-proofing. All power connections are built into the base and can be easily accessed by means of an inspection opening. An integrated sprinkler system guarantees that the table is continuously sanitized. All power connections, including the air duct, are built into the base. The table is to be connected to the side-mounted ventilation system, which has a minimum capacity of 1000 $m^3/h$.

**The Autopsy Table STV 10/100 model includes the following features:**

- UP / DOWN button for height adjustment by means of an integrated electro mechanical drive
- High-speed clamping grip to fix the rotation
- Knee-operated mixing tap for cold and warm water
- 3 m shower hose with hand sprinkler
- 2 splash proof electrical outlets
- Electrical and water connections are preinstalled
- The safety requirements for drinking water as per DIN 1988 part 4 are to be provided by the customer

*Technical data see back page*

KUGEL medical GmbH & Co. KG
Hermann-Köhl-Str. 2A
DE - 93049 Regensburg/Germany

Phone +49/941/20 86 48-0
Fax +49/941/20 86 48-29
www.KUGEL-medical.de

zertifiziert nach ISO 9001

KUGEL medical

# Autopsy Table STV 10/100 with Down-Draft-System – Height-Adjustable and Rotatable

**Technical Data:**

| | |
|---|---|
| Dimensions W/D/H: | 2600 x 850 x 750 to 1000 mm |
| Voltage: | 230 Volt/1PH/50Hz |
| Carrying capacity: | 300 kg |
| Type: | STV 10/100 |
| Article-No.: | 010.010.820 |

Alternatively available with a carrying capacity of 450 kg at an extra charge – Article No.: 010.010.858

The Autopsy Table STV 10/100 is also available with a three-piece perforated work surface with a negative inclination as well as a large, removable sieve.



| | |
|---|---|
| Type: | PAF-3-G |
| Article-No.: | 010.010.822 |

TekEquipment™

Ph: 1300 368 138

www.tekequipment.com.au

info@tekequipment.com.au

TekMed NZ™

**Ph: 0800 456 217**

**info@tekmed.co.nz**

**www.tekmed.co.nz**

KUGEL medical GmbH & Co. KG
Hermann-Köhl-Str. 2A
DE - 93049 Regensburg/Germany

Phone +49/941/20 86 48-0
Fax +49/941/20 86 48-29
www.KUGEL-medical.de

zertifiziert nach ISO 9001

KUGEL medical

# Autopsy Table STV 10/100–ROLL-IN with Down-Draft-System – Height-Adjustable and Rotatable



The autopsy table is mounted on a center support column and can be rotated to the right and the left by approx. 180°; moreover, it is height-adjustable in the range from 770 to 1070 mm. The autopsy table is completely made of stainless steel (material no. 1.4301- ANSI 304). A circumferential perforation at the work surface makes sure that all harmful vapours are being vacuumed downwards. At the small side of the table you can slide in a body tray, the table closes automatically with a cover. The work surface is equipped with a high surrounding border, as well as a negative inclination to the waste sieve (detachable). A seamlessly welded basin with a surrounding profile border is installed to the end of the table. A bath with a negative inclination to the drainage channel is located under the perforated work surface. An integrated sprinkler system guarantees that the table is continuously sanitized. All power connections, including the air duct, are built into the base. The table is to be connected to the side-mounted ventilation system, which has a minimum capacity of 1000 $m^3/h$.

**The Autopsy Table STV 10/100 model includes the following features:**

- UP / DOWN button for height adjustment by means of an integrated electro mechanical drive
- High-speed clamping grip to fix the rotation
- Knee-operated mixing tap for cold and warm water
- 3 m shower hose with hand sprinkler
- 2 splash proof electrical outlets
- Electrical and water connections are preinstalled
- The safety requirements for drinking water as per DIN 1988 part 4 are to be provided by the customer
- Delivery without Body tray LM 80/100-AL

*Technical data see back page*

KUGEL medical GmbH & Co. KG
Hermann-Köhl-Str. 2A
DE - 93049 Regensburg/Germany

Phone +49/941/20 86 48-0
Fax +49/941/20 86 48-29
www.KUGEL-medical.de

zertifiziert nach ISO 9001

KUGEL medical

Subject to technical modifications as required by products improvements (Version 02/2017)

# Autopsy Table STV 10/100–ROLL-IN with Down-Draft-System – Height-Adjustable and Rotatable



**Technical Data:**

| | |
|---|---|
| Dimensions W/D/H: | 2656 x 850 x 770 to 1070 mm |
| Voltage: | 230 Volt/1PH/50Hz |
| Carrying capacity: | 300 kg |
| Type: | STV 10/100 |
| Article-No.: | 010.010.880 |

Alternatively available with a carrying capacity of 450 kg at an extra charge – Article No.: 010.010.858


TekEquipment™

Ph: 1300 368 138

www.tekequipment.com.au

info@tekequipment.com.au

TekMed NZ™

**Ph: 0800 456 217**

**info@tekmed.co.nz**

**www.tekmed.co.nz**

KUGEL medical GmbH & Co. KG
Hermann-Köhl-Str. 2A
DE - 93049 Regensburg/Germany

Phone +49/941/20 86 48-0
Fax +49/941/20 86 48-29
www.KUGEL-medical.de


zertifiziert nach ISO 9001

KUGEL medical

Subject to technical modifications as required by products improvements (Version 02/2017)

# Autopsy Table STV 10/800
# with Integrated Down-Draft-System

The autopsy table is completely made of stainless steel (material no. 1.4301 – ANSI 304). A 3-piece removable, perforated work surface makes sure that all harmful vapours are being vacuumed downwards. The work surface is equipped with a high surrounding border, as well as a negative inclination to the waste sieve (detachable). A seamlessly welded basin, 400 x 500 x 200 mm, with a surrounding profile border and an overflow pipe is installed to the end of the table. A bath with a negative inclination to the drainage channel is located under the perforated work surface. An integrated sprinkler system guarantees that the table is continuously sanitized. All power connections, including the air duct, are built into the base and can be easily accessed by means of an inspection opening. The table is to be connected to a ventilation system provided by the customer.

**The Autopsy Table STV 10/800 model includes the following features:**

- Center support column with 2 inspection openings
- Knee-operated mixing tap for cold and warm water
- 3 m shower hose with hand sprinkler
- 2 splash proof electrical outlets
- Regulator valve for integrated sprinkler system
- 3-piece work surface with large waste basin/sieve insert
- The safety requirements for drinking water as per DIN 1988 part 4 are to be provided by the customer

*Technical data see back page*

KUGEL medical GmbH & Co. KG
Hermann-Köhl-Str. 2A
DE - 93049 Regensburg/Germany

Phone +49/941/20 86 48-0
Fax +49/941/20 86 48-29
www.KUGEL-medical.de

zertifiziert nach ISO 9001

KUGEL medical

Subject to technical modifications as required by products improvements (Version 02/2017)

# Autopsy Table STV 10/800
# with Integrated Down-Draft-System

Height-adjustable autopsy table



Removable waste basin / sieve insert

**Technical Data:**

| | |
|---|---|
| Dimensions W/D/H: | 2600 x 850 x 850 mm |
| Voltage: | 230 Volt / 1 Ph / 50 Hz |
| Capacity: | min. 1000 m³/h |
| Carrying capacity: | 300 kg |
| Material: | Brushed stainless steel (Material No. 1.4301 – ANSI 304) |
| Type: | STV 10/800 |
| Article No.: | 010.010.800 |

Alternatively available with a carrying capacity of 450 kg at an extra charge – Article No.: 010.010.858


TekEquipment™

Ph: 1300 368 138

www.tekequipment.com.au

info@tekequipment.com.au

TekMed NZ™

**Ph: 0800 456 217**

**info@tekmed.co.nz**

**www.tekmed.co.nz**



KUGEL medical GmbH & Co. KG
Hermann-Köhl-Str. 2A
DE - 93049 Regensburg/Germany

Phone +49/941/20 86 48-0
Fax +49/941/20 86 48-29
www.KUGEL-medical.de


zertifiziert nach ISO 9001

KUGEL medical

# Autopsy Table STV 10/850 with Integrated Down-Draft-System – Height-Adjustable

The autopsy table is mounted onto a center support column and is height-adjustable from 750 to 1050 mm. The table is completely made of stainless steel (material no. 1.4301 – ANSI 304). Through a three-piece, removable, perforated work top, all unsanitary vapors are safely vacuumed downwards. The work surface is equipped with a high surrounding border, as well as a negative inclination to the waste sieve (detachable). A seamlessly welded basin, 400 x 500 x 200mm, with a surrounding profile border, an overflow pipe as well as a sieve insert is installed to the end of the table. A bath with a negative inclination to the drainage channel is located under the perforated work surface. An integrated sprinkler system guarantees that the table is continuously sanitized. All power connections and the air duct, are built into the center support column and can be easily accessed at any time by means of an inspection opening . The table is to be connected to a ventilation system provided by the customer.

**The Autopsy Table STV 10/850 model includes the following features:**

- Central support column with 2 inspection openings
- UP / DOWN button for height adjustment by means of an integrated electro mechanical drive
- Knee-operated mixing tap for cold and warm water
- 3 m shower hose with hand sprinkler
- 2 splash proof electrical outlets
- Regulator valve for the integrated sprinkler system
- 3-piece work top with large waste basin/sieve insert
- Electrical and water connections are preinstalled
- The safety requirements for drinking water as per DIN 1988 part 4 are to be provided by the customer

*Technical data see back page*

KUGEL medical GmbH & Co. KG
Hermann-Köhl-Str. 2A
DE - 93049 Regensburg/Germany

Phone +49/941/20 86 48-0
Fax +49/941/20 86 48-29
www.KUGEL-medical.de

zertifiziert nach ISO 9001

KUGEL medical

Subject to technical modifications as required by products improvements (Version 02/2017)

# Autopsy Table STV 10/850 with Integrated Down-Draft-System – Height-Adjustable



**Technical Data:**

| | |
|---|---|
| Dimensions W/D/H: | 2600 x 850 x 750 / 1050 mm |
| Voltage: | 230 Volt / 1 Ph / 50 Hz |
| Capacity: | min. 1000 $m^3/h$ |
| Carrying capacity: | 300 kg |
| Material: | Brushed stainless steel (Material No. 1.4301 – ANSI 304) |
| Type: | STV 10/850 |
| Article No: | 010.010.850 |

Alternatively available with a carrying capacity of 450 kg at an extra charge – Article No.: 010.010.858


TekEquipment™

Ph: 1300 368 138

www.tekequipment.com.au

info@tekequipment.com.au

TekMed NZ™

**Ph: 0800 456 217**

**info@tekmed.co.nz**

**www.tekmed.co.nz**



KUGEL medical GmbH & Co. KG
Hermann-Köhl-Str. 2A
DE - 93049 Regensburg/Germany

Phone +49/941/20 86 48-0
Fax +49/941/20 86 48-29
www.KUGEL-medical.de


zertifiziert nach ISO 9001

KUGEL medical

# Autopsy Table STV 10/850-ROLL-IN
# With Integrated Down-Draft-System



The autopsy table is onto a central support column and height-adjustable from 770 to 1070 mm. The table is completely made of stainless steel (material no. 1.4301 – ANSI 304). Through a three-piece, removable, perforated work top, all unsanitary vapors are safely vacuumed downwards. At the small side of the table you can slide in a body tray and close automatically with a cover. A bath with drainage channel is located under the perforated work surface. A seamlessly welded basin, 400 x 500 x 200 mm, with a surrounding profile border, an overflow pipe and a sieve insert is installed to the end of the table. All power connections, including the air duct, are built into the center support column an can be easily accessed at any time by means of an inspection opening. The table is to be connected to a ventilation system provided by the customer.

**The Autopsy Table STV 10/850-ROLL-IN model includes the following features:**

- Center support column with 2 inspection openings
- UP / DOWN button for height adjustment by means of an integrated electro mechanical drive
- Knee-operated mixing tap for cold and warm water
- 3 m shower hose with hand sprinkler
- 2 splash proof electrical outlets
- Regulator valve for integrated sprinkler system
- 3-piece work top with large waste basin/sieve insert
- The safety requirements for drinking water as per DIN 1988 part 4 are to be provided by the customer
- Delivery without Body tray LM 80/100-AL

*Technical data see back page*

KUGEL medical GmbH & Co. KG
Hermann-Köhl-Str. 2A
DE - 93049 Regensburg/Germany

Phone +49/941/20 86 48-0
Fax +49/941/20 86 48-29
www.KUGEL-medical.de

zertifiziert nach ISO 9001

KUGEL medical

Subject to technical modifications as required by products improvements (Version 02/2017)

# Autopsy Table STV 10/850-ROLL-IN
# With Integrated Down-Draft-System



Autopsy Table STV 10/850-ROLL-IN integrated down-draft system and Body Tray LM 80/100-ABL

**Technical Data:**

| | |
|---|---|
| Dimensions W/D/H: | 2656 x 850 x 770 / 1070 mm |
| Voltage: | 230 Volt / 1 Ph / 50 Hz |
| Capacity: | min. 1000 m³/h |
| Carrying capacity: | 300 kg |
| Material: | Brushed stainless steel (Material No. 1.4301 – ANSI 304) |
| Type: | STV 10/850-ROLL-IN |
| Article No.: | 010.010.870 |

Alternatively available with a carrying capacity of 450 kg at an extra charge – Article No.: 010.010.858

TekEquipment™

Ph: 1300 368 138

www.tekequipment.com.au

info@tekequipment.com.au

TekMed NZ™

**Ph: 0800 456 217**

**info@tekmed.co.nz**

**www.tekmed.co.nz**

KUGEL medical GmbH & Co. KG
Hermann-Köhl-Str. 2A
DE - 93049 Regensburg/Germany

Phone +49/941/20 86 48-0
Fax +49/941/20 86 48-29
www.KUGEL-medical.de

zertifiziert nach ISO 9001

KUGEL medical